INDEX

Abrus precatorius, colouring matter of seed-coats of (Sarkar) 281
Aceto-acetic acid, excretion of, in aceto-nuria (Kennaway) 355
Acetone-soluble phosphatides, the so-called (MacLean) 453
Acetonuria, relative amounts of β-hydroxy-butyric acid and aceto-acetic acid excreted in (Kennaway) 355
Acetylcholine (Ewins) 44
Acids, fatty, with branched chains, mode of oxidation of (Raper) 320
Ackroyd, H. On the purine metabolism of rats 434
Agglutination, of bacteria by specific sera, mechanism of (Tulloch) 293
Allantoin, estimation of, in urine in presence of glucose (Plimmer and Skelton) 641
Allantoin, indirect estimation of, in urine by urease (Plimmer and Skelton) 70
Amino-acids, Herzig and Meyer's reaction applied to (Burn) 154
Anaphylaxis, liver nitrogen in (Barger and Dale) 670
Annett, H. E. The urease content of certain Indian seeds 449
Antirrhinum majus, flower pigments of (Wheldale and Bassett) 204
Aspartic acid, estimation of, in products of protein hydrolysis (Foreman) 463
Atkin, E. E. The chemical nature of a bacterial haemolysin 328
Auxetic action, of coal tar bases and its inactivation (Norris) 253

Bacteria, mechanism of agglutination of, by specific sera (Tulloch) 293
Barger, G. and Dale, H. H. Liver nitrogen in anaphylaxis 670
Bases, of coal-tar, auxetic action of (Norris) 253
Bassett, H. Ll. *see* Wheldale, M. 204
β-Hydroxybutyric acid, estimation of (Kenna-way) 230
β-Hydroxybutyric acid, excretion of, in acetonuria (Kennaway) 355
Blood, estimation of sugar in (Gardner and MacLean) 391
Blood, remarks on Symons' note on Teich-mann's test for (Sutherland and Mitra) 128
Brahmachari, U. N. An investigation into the physico-chemical mechanism of haemo-lysis by specific haemolysins. No. II. The electrical conductivity of sensitised corpuscles and the action of inorganic ferments or metal-sols upon them 227
Brain, content of cholesterol (Rosenheim) 82
Brain, presence of oxycholesterol and its esters in the (Rosenheim) 74
Brain, the galactosides of (Rosenheim) 110, 121
Burn, J. H. Herzig and Meyer's reaction applied to proteins and amino-acids 154

Casein (Geake) 30
Casein, production of, from caseinogen (Schry-ver) 152
Caseinogen, action of coagulating enzymes on (Harden and Macallum) 90
Caseinogen, action of diazomethane on (Geake and Nierenstein) 287
Caseinogen, formation of a peptone from, by the action of dilute acid in the cold (Funk and McLeod) 107
Caseinogen (Geake) 30
Catalase, of washed zymin and dried yeast (Harden and Zilva) 217
Chick, H. The apparent formation of euglo-bulin from pseudoglobulin and a suggestion as to the relationship between these two proteins in serum 404
Chick, H. The viscosity of protein solutions. II. Pseudoglobulin and euglobulin (Horse) 261
Chick, H. and Lubrzynska, E. Viscosity of some protein solutions 59
Cholesterol, amount present in human and animal brain (Rosenheim) 82
Cholesterol, of the brain (Rosenheim) 74, 82
Choline, some new physiologically active derivatives of (Ewins) 366
Coagulating enzymes, action of, on caseinogen (Harden and Macallum) 90
Coal-tar, auxetic action of bases of (Norris) 253
Cole, S. W. The estimation of lactose and glucose by the copper-iodide method 134
Conductivity, of milk (Jackson and Rothera) 1
Cooper, E. A. The curative action of autolysed yeast against avian poly-neuritis 250
Cooper, E. A. The relations of vitamine to lipoids 347
Corpuscles, sensitised, action of metal-sols upon (Brahmachari) 227
Counter diffusion, in aqueous solution (Osborne and Jackson) 246

INDEX

Abrus precatorius, colouring matter of seed-coats of (Sarkar) 281
Aceto-acetic acid, excretion of, in aceto-nuria (Kennaway) 355
Acetone-soluble phosphatides, the so-called (MacLean) 453
Acetonuria, relative amounts of β-hydroxy-butyric acid and aceto-acetic acid excreted in (Kennaway) 355
Acetylcholine (Ewins) 44
Acids, fatty, with branched chains, mode of oxidation of (Raper) 320
Ackroyd, H. On the purine metabolism of rats 434
Agglutination, of bacteria by specific sera, mechanism of (Tulloch) 293
Allantoin, estimation of, in urine in presence of glucose (Plimmer and Skelton) 641
Allantoin, indirect estimation of, in urine by urease (Plimmer and Skelton) 70
Amino-acids, Herzig and Meyer's reaction applied to (Burn) 154
Anaphylaxis, liver nitrogen in (Barger and Dale) 670
Annett, H. E. The urease content of certain Indian seeds 449
Antirrhinum majus, flower pigments of (Wheldale and Bassett) 204
Aspartic acid, estimation of, in products of protein hydrolysis (Foreman) 463
Atkin, E. E. The chemical nature of a bacterial haemolysin 328
Auxetic action, of coal tar bases and its inactivation (Norris) 253

Bacteria, mechanism of agglutination of, by specific sera (Tulloch) 293
Barger, G. and Dale, H. H. Liver nitrogen in anaphylaxis 670
Bases, of coal-tar, auxetic action of (Norris) 253
Bassett, H. Ll. *see* Wheldale, M. 204
β-Hydroxybutyric acid, estimation of (Kenna-way) 230
β-Hydroxybutyric acid, excretion of, in acetonuria (Kennaway) 355
Blood, estimation of sugar in (Gardner and MacLean) 391
Blood, remarks on Symons' note on Teich-mann's test for (Sutherland and Mitra) 128
Brahmachari, U. N. An investigation into the physico-chemical mechanism of haemo-lysis by specific haemolysins. No. II. The electrical conductivity of sensitised corpuscles and the action of inorganic ferments or metal-sols upon them 227
Brain, content of cholesterol (Rosenheim) 82
Brain, presence of oxycholesterol and its esters in the (Rosenheim) 74
Brain, the galactosides of (Rosenheim) 110, 121
Burn, J. H. Herzig and Meyer's reaction applied to proteins and amino-acids 154

Casein (Geake) 30
Casein, production of, from caseinogen (Schry-ver) 152
Caseinogen, action of coagulating enzymes on (Harden and Macallum) 90
Caseinogen, action of diazomethane on (Geake and Nierenstein) 287
Caseinogen, formation of a peptone from, by the action of dilute acid in the cold (Funk and McLeod) 107
Caseinogen (Geake) 30
Catalase, of washed zymin and dried yeast (Harden and Zilva) 217
Chick, H. The apparent formation of euglo-bulin from pseudoglobulin and a suggestion as to the relationship between these two proteins in serum 404
Chick, H. The viscosity of protein solutions. II. Pseudoglobulin and euglobulin (Horse) 261
Chick, H. and Lubrzynska, E. Viscosity of some protein solutions 59
Cholesterol, amount present in human and animal brain (Rosenheim) 82
Cholesterol, of the brain (Rosenheim) 74, 82
Choline, some new physiologically active derivatives of (Ewins) 366
Coagulating enzymes, action of, on caseinogen (Harden and Macallum) 90
Coal-tar, auxetic action of bases of (Norris) 253
Cole, S. W. The estimation of lactose and glucose by the copper-iodide method 134
Conductivity, of milk (Jackson and Rothera) 1
Cooper, E. A. The curative action of autolysed yeast against avian poly-neuritis 250
Cooper, E. A. The relations of vitamine to lipoids 347
Corpuscles, sensitised, action of metal-sols upon (Brahmachari) 227
Counter diffusion, in aqueous solution (Osborne and Jackson) 246

CREIGHTON, H. J. M. *see* HARRIS, D. F. 585
CUNNINGHAM, M. and DORÉE, C. The production of ω-hydroxy-s-methylfurfuraldehyde from carbohydrates and its influence on the estimation of pentosans and methylpentosans 438

DALE, H. H. *see* BARGER, G. 670
Diastatic enzymes, hydrolysis of glycogen by (Norris) 421
Diazomethane, action of, on caseinogen (Geake and Nierenstein) 287
DORÉE, C. *see* CUNNINGHAM, M. 438
DRUMMOND, J. C. and FUNK, C. The chemical investigation of the phosphotungstate precipitate from rice-polishings 598
DRUMMOND, J. C. *see* ROSENHEIM, O. 143
DRUMMOND, J. M. A contribution to the study of a proteolytic organism 38

EDIE, E. S. Action of pepsin and trypsin on one another 193
EDIE, E. S. On the resistance of trypsin solutions to heat 84
Enzymes, coagulating, action on caseinogen (Harden and Macallum) 90
Enzymes, diastatic, hydrolysis of glycogen by (Norris) 421
Enzymes of washed zymin and dried yeast (Harden and Norris) 100
Enzymes of washed zymin and dried yeast (Harden and Zilva) 217
Ergot, occurrence of acetylcholine in (Ewins) 44
Esters, of oxycholesterol, presence of, in the brain (Rosenheim) 74
Euglobulin, relationship of, to pseudoglobulin in serum (Chick) 404
Euglobulin, viscosity of solutions of (Chick) 261
EWINS, A. J. Acetylcholine, a new active principle of ergot 44
EWINS, A. J. Some new physiologically active derivatives of choline 366
EWINS, A. J. The constitution of pseudomuscarine ("synthetic muscarine") 209

Fish, fresh-water, respiratory exchange in (Gardner and Leetham) 374, 591
Flower pigments of *Antirrhinum majus* (Wheldale and Bassett) 204
FOREMAN, F. W. The transformation of glutaminic acid into *l*-pyrrolidonecarboxylic acid in aqueous solution 481
FOREMAN, F. W. Quantitative estimation of aspartic and glutaminic acids in the products of protein hydrolysis 463
Freezing point, of milk (Jackson and Rothera) 1
FUNK, C. and MCLEOD, J. W. The formation of a peptone from caseinogen by the prolonged action of dilute hydrochloric acid in the cold 107
FUNK, C. *see* DRUMMOND, J. C. 598

Galactosides of the brain (Rosenheim) 110, 121
GARDNER, A. D. and MACLEAN, H. A method for the estimation of sugar in blood with observations on some modern methods 391
GARDNER, J. A. and LEETHAM, C. On the respiratory exchange in fresh-water fish. Part I. On brown trout 374
GARDNER, J. A. and LEETHAM, C. On the respiratory exchange in fresh-water fish. Part II. On brown trout 591
GEAKE, A. and NIERENSTEIN, M. The action of diazomethane on caseinogen 287
GEAKE, A. Caseinogen and casein 30
Gelatinisation of pectin (Haynes) 553
Glucose, estimation of, by the copper-iodide method (Cole) 134
Glutaminic acid, estimation of, in products of protein hydrolysis (Foreman) 463
Glutaminic acid, transformation of, into *l*-pyrrolidonecarboxylic acid in aqueous solution (Foreman) 481
Glycogen, factors influencing the end-point of the hydrolysis of, by diastatic enzymes (Norris) 421

Haemolysin, chemical nature of a bacterial (Atkin) 328
Haemolysis, mechanism of (Brahmachari) 227
HARDEN, A. and MACALLUM, A. B. On the action of coagulating enzymes on caseinogen 90
HARDEN, A. and NORRIS, R. V. The enzymes of washed zymin and dried yeast (Lebedeff). II. Reductase 100
HARDEN, A. and ZILVA, S. S. The enzymes of washed zymin and dried yeast (Lebedeff). III. Peroxidase, catalase, invertase and maltase 217
HARRIS, D. F. and CREIGHTON, H. J. M. The action of poisons on reductase and attempts to isolate this enzyme 585
HARTLEY, P. The determination of the composition of the different proteins of ox and horse serum by the method of van Slyke 541
HAYNES, D. The gelatinisation of pectin in solutions of the alkalies and the alkaline earths 553
Heat, rate of inactivation of peroxidase in milk by (Zilva) 656
Heat, resistance of trypsin solutions to (Edie) 84
Herzig and Meyer's reaction, applied to proteins and amino-acids (Burn) 154
Hydrogen electrode, an improved (Walpole) 131
Hydrolysis of proteins (Pittom) 157
ω-Hydroxy-s-methylfurfuraldehyde, production of, from carbohydrates and its influence on the estimation of pentosans and methylpentosans (Cunningham and Dorée) 438

Indicators, recent, notes on (Walpole) 628
Invertase of washed zymin and dried yeast (Harden and Zilva) 217

JACKSON, L. C. and ROTHERA, A. C. H. Milk —its milk sugar, conductivity and depression of freezing point 1
JACKSON, L. C. *see* OSBORNE, W. A. 246

KENNAWAY, E. L. On the estimation of β-hydroxybutyric acid 230
KENNAWAY, E. L. The relative amounts of β-hydroxybutyric acid and aceto-acetic acid excreted in acetonuria 355
Kerasin, preparation of, from brain (Rosenheim) 110
KINCAID, H. E. *see* OSBORNE, W. A. 28

Lactose, estimation of, by the copper-iodide method (Cole) 134
LEETHAM, C. *see* GARDNER, J. A. 374, 591
Lipoids, relations of vitamine to (Cooper) 347
Liquid crystals (Rosenheim) 121
l-Pyrrolidonecarboxylic acid, formation of, from glutaminic acid in aqueous solution (Foreman) 481
LUBRZYNSKA, E. *see* CHICK, H. 59

MACALLUM, A. B. *see* HARDEN, A. 90
MACLEAN, H. *see* GARDNER, A. D. 391
MACLEAN, H. On the so-called "acetone-soluble phosphatides" 453
MCLEOD, J. W. *see* FUNK, C. 107
Maltase of washed zymin and dried yeast (Harden and Zilva) 217
Milk, milk-sugar, conductivity and freezing point of (Jackson and Rothera) 1
Milk, rate of inactivation by heat of peroxidase in (Zilva) 656
Milk sugar, of milk (Jackson and Rothera) 1
MITRA, G. C. *see* SUTHERLAND, W. D. 128
Muscarine, "synthetic," constitution of (Ewins) 209

NIERENSTEIN, M. *see* GEAKE, A. 287
NORRIS, D. A note on the bases of gasworks coal-tar which are believed to be the predisposing cause of pitch cancer, with special reference to their action on lymphocytes, together with a method for their inactivation. Part I. Auxetic action 253
NORRIS, R. V. The hydrolysis of glycogen by diastatic enzymes. Part III. Factors influencing the end-point of the hydrolysis 421
NORRIS, R. V. *see* HARDEN, A. 100

ORR, J. B. The influence of excessive water ingestion on protein metabolism 530
OSBORNE, W. A. and JACKSON, L. C. Counter diffusion in aqueous solution 246
OSBORNE, W. A. and KINCAID, H. E. Osmotic phenomena of yolk of egg 28
Osmotic phenomena of yolk of egg (Osborne and Kincaid) 28
Oxidation, mode of, of certain fatty acids with branched chains (Raper) 320
Oxycholesterol, presence of, and its esters in the brain (Rosenheim) 74

PEARSON, A. L. A comparison between the molecular weights of protagon and of the phosphatide and cerebrosides obtainable from it 616
Pectin, gelatinisation of, in solutions of the alkalies and alkaline earths (Haynes) 553
Pepsin, action on trypsin (Edie) 193
Peptone, formation of, from caseinogen by the action of dilute acid in the cold (Funk and McLeod) 107
Peroxidase of washed zymin and dried yeast (Harden and Zilva) 217
Peroxidase, rate of inactivation by heat of, in milk (Zilva) 656
Phosphatides, the so-called "acetone-soluble" (MacLean) 453
Phosphorus, gravimetric estimation of minute quantities of (Raper) 649
Phrenosin, melting point of (Rosenheim) 121
Phrenosin, preparation of, from brain (Rosenheim) 110
Pigment, the black, in the skin of an Australian black (Young) 460
PITTOM, W. W. P. Studies in protein hydrolysis 157
PLIMMER, R. H. A. and SKELTON, R. F. The estimation of allantoin in urine in the presence of glucose 641
PLIMMER, R. H. A. and SKELTON, R. F. The quantitative estimation of urea and indirectly of allantoin in urine by means of urease 70
Poisons, action of, on reductase (Harris and Creighton) 585
Polyneuritis, avian, curative action of autolysed yeast against (Cooper) 250
PORTER, A. E. On the behaviour of trypsin in the presence of a specific precipitate 50
Protagon, molecular weight of, compared with those of phosphatide and cerebrosides obtainable from it (Pearson) 616
Protein, estimation of aspartic and glutaminic acids in products of hydrolysis of (Foreman) 463
Protein, hydrolysis (Pittom) 157
Protein metabolism, influence of excessive water ingestion on (Orr) 530
Protein solutions, viscosity of (Chick) 261
Protein solutions, viscosity of (Chick and Lubrzynska) 59
Proteins, Herzig and Meyer's reaction applied to (Burn) 154
Proteins, of ox and horse serum, determination of the composition of, by van Slyke's method (Hartley) 541
Proteolytic organism, study of a (Drummond) 38
Pseudoglobulin, relationship of, to euglobulin in serum (Chick) 404
Pseudoglobulin, viscosity of solutions of (Chick) 261
Pseudomuscarine, constitution of (Ewins) 209
Purine metabolism of rats (Ackroyd) 434

RAPER, H. S. The gravimetric estimation of minute quantities of phosphorus 649
RAPER, H. S. The mode of oxidation of certain fatty acids with branched chains 320
Rats, purine metabolism of (Ackroyd) 434
Reductase, action of poisons on (Harris and Creighton) 585

Reductase, attempts to isolate (Harris and Creighton) 585
Reductase of washed zymin and dried yeast (Harden and Norris) 100
Regulator mixtures, notes on (Walpole) 628
Respiratory exchange in fresh-water fish (Gardner and Leetham) 374, 591
Rice-polishings, chemical investigation of the phosphotungstate precipitate from (Drummond and Funk) 598
Rosenheim, M. C. The cholesterol of the brain. II. The presence of "oxycholesterol" and its esters 74
Rosenheim, M. C. The cholesterol of the brain. III. Note on the cholesterol contents of human and animal brain 82
Rosenheim, O. The galactosides of the brain. II. The preparation of phrenosin and kerasin by the pyridine method 110
Rosenheim, O. The galactosides of the brain. III. Liquid crystals and the melting point of phrenosin 121
Rosenheim, O. and Drummond, J. C. A volumetric method for the estimation of ethereal and inorganic sulphates in urine 143
Rothera, A. C. H. *see* Jackson, L. C. 1

Sarkar, S. L. Colouring matter contained in the seed-coats of *Abrus precatorius* 281
Schryver, S. B. A note on the production of casein from caseinogen 152
Seeds, urease content of certain Indian (Annett) 449
Serum, ox and horse, determination of composition of proteins of, by van Slyke's method (Hartley) 541
Skelton, R. F. *see* Plimmer, R. H. A. 70, 641
Sols, diagrammatic co-ordination of phenomena relating to aggregation of (Walpole) 170
Specific precipitate, behaviour of trypsin in presence of (Porter) 50
Sugar, estimation of, in blood (Gardner and MacLean) 391
Sulphates, estimation of, in urine volumetrically (Rosenheim and Drummond) 143
Sutherland, W. D. and Mitra, G. C. Remarks on Dr Symons' "Note on a Modification of Teichmann's Test for Blood" 128
Symons' note on Teichmann's blood test, remarks on (Sutherland and Mitra) 128

Teichmann, remarks on Symons' note on the blood test of (Sutherland and Mitra) 128
Trout, brown, respiratory exchange in (Gardner and Leetham) 374, 591
Trypsin, action of, on pepsin (Edie) 193
Trypsin, behaviour of, in presence of a specific precipitate (Porter) 50
Trypsin, resistance of solutions of, to heat (Edie) 84
Trypsinogen, activation of (Vernon) 494
Tulloch, W. J. The mechanism of agglutination of bacteria by specific sera 293

Urea, estimation of, in urine by urease (Plimmer and Skelton) 70
Urease, content of certain Indian seeds (Annett) 449
Urease, employed for estimation of urea and allantoin in urine (Plimmer and Skelton) 70
Urine, estimation of allantoin in, in presence of glucose (Plimmer and Skelton) 641
Urine, estimation of ethereal and inorganic sulphates in, volumetrically (Rosenheim and Drummond) 143
Urine, estimation of urea and allantoin in, by means of urease (Plimmer and Skelton) 70

Van Slyke, determination of composition of proteins of ox and horse serum by the method of (Hartley) 541
Vernon, H. M. The activation of trypsinogen 494
Viscosity of protein solutions (Chick) 261
Viscosity of protein solutions (Chick and Lubrzynska) 59
Vitamine, relations to lipoids (Cooper) 347

Walpole, G. S. An improved hydrogen electrode 131
Walpole, G. S. Diagrammatic co-ordination of phenomena relating to aggregation of sols 170
Walpole, G. S. Notes on regulator mixtures, recent indicators, etc. II. 628
Water, influence on protein metabolism of excessive ingestion of (Orr) 530
Wheldale, M. and Bassett, H. Ll. The flower pigments of *Antirrhinum majus*. III. The red and magenta pigments 204

Yeast, autolysed, curative action of, against avian polyneuritis (Cooper) 250
Yeast, dried and washed, enzymes of (Harden and Norris) 100
Yeast, dried and washed, enzymes of (Harden and Zilva) 217
Yeast, dried and washed, reductase of (Harden and Norris) 100
Yolk of egg, osmotic phenomena of (Osborne and Kincaid) 28
Young, W. J. A note on the black pigment in the skin of an Australian black 460

Zilva, S. S. *see* Harden, A. 217
Zilva, S. S. The rate of inactivation by heat of peroxidase in milk. I. 656
Zymin, washed, enzymes of (Harden and Norris) 100
Zymin, washed, enzymes of (Harden and Zilva) 217
Zymin, washed, reductase of (Harden and Norris) 100

CAMBRIDGE: PRINTED BY JOHN CLAY, M.A. AT THE UNIVERSITY PRESS